

SOUTH WEST VICTORIA FORAGE VALUE INDEX

2020 UPDATE



The Forage Value Index (FVI) is a tool that helps Australian dairy farmers and their advisors to make more informed decisions when selecting perennial ryegrass cultivars. It provides an accurate, reliable and independent assessment of the potential economic value of perennial ryegrass cultivars in different dairy regions of southeast Australia.

The FVI is calculated by multiplying the Performance Value of each cultivar (i.e. total kilograms dry matter produced per hectare per season) by its Economic Value (i.e. the estimated value of this extra production per season).

Performance Values are determined by industry assessed trial data. To be included in the FVI database, each cultivar must have data from at least three, three-year trials that have been conducted using strict industry protocols. The Performance Value is expressed as a percentage change relative to 'Victorian' cultivar of perennial ryegrass.

Economic Values are determined by assessing the economic value of extra pasture grown during the respective seasons through an economic analysis of 'case study' farms in the four different dairying regions in southeast Australia.

The FVI for each cultivar is expressed as a colour, whereby those cultivars with the same colour are not significantly different to each other. The green colour indicates those cultivars that have performed the best in each region and have the most potential to contribute to operating profit.

The FVI information allows users to rank cultivars according to their region and user nominated attributes (e.g. seasonal yields, ploidy, heading date, endophyte). The number of trials in which the cultivar has been tested is also included in the table.

The accompanying tables of the performance of the cultivars during the various seasons are of particular importance to dairy farmers, depending upon their farming system and calving pattern. For example, dairy farmers that calve in the autumn would favour those cultivars that have a high performance value for autumn and winter as they would value more highly greater winter growth of their pastures.

South West Victoria: Forage Value Index 2020

| Cultivar | FVI SW Vic | Autumn | Winter | Early Spring | Late Spring | Summer | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|------------|--------|--------|--------------|-------------|--------|-----------|------------|--------------|---------------------|---------------|
| Base AR37 | 181 | 111 | 119 | 98 | 99 | 113 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Bealey NEA2 | 166 | 111 | 116 | 98 | 99 | 113 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| Halo AR37 | 140 | 109 | 115 | 96 | 97 | 113 | AR37 | Tetraploid | Late | Agricom | 12 |
| Kidman AR1 | 136 | 109 | 113 | 100 | 98 | 110 | AR1 | Diploid | Early | Barenbrug | 8 |
| Impact2 NEA2 | 131 | 107 | 113 | 99 | 99 | 111 | NEA2 | Diploid | Late | Barenbrug | 12 |
| SF Hustle AR1 | 128 | 107 | 113 | 99 | 99 | 110 | AR1 | Diploid | Mid | Seedforce | 6 |
| One50 | 125 | 107 | 113 | 98 | 97 | 111 | SE | Diploid | Late | Agricom | 4 |
| Shogun NEA2 | 125 | 105 | 112 | 100 | 98 | 112 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| BanquetII Endo5 | 118 | 107 | 112 | 96 | 98 | 111 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Reward Endo5 | 113 | 107 | 112 | 97 | 98 | 110 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| One50 AR37 | 112 | 107 | 113 | 98 | 97 | 110 | AR37 | Diploid | Late | Agricom | 8 |
| Fitzroy | 110 | 106 | 112 | 102 | 97 | 108 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| Matrix - Festulolium | 109 | 107 | 112 | 97 | 97 | 111 | Nil | Diploid | Late | Cropmark | 7 |
| Excess AR37 | 109 | 108 | 112 | 97 | 97 | 110 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| One50 AR1 | 108 | 106 | 113 | 97 | 97 | 111 | AR1 | Diploid | Late | Agricom | 11 |
| Expo AR37 | 108 | 107 | 112 | 97 | 98 | 109 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Ansa AR1 | 106 | 106 | 111 | 98 | 98 | 110 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| Arrow AR1 | 106 | 105 | 109 | 99 | 99 | 110 | AR1 | Diploid | Mid | Barenbrug | 9 |
| Jackal AR1 | 105 | 107 | 111 | 98 | 98 | 109 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| Prospect AR37 | 104 | 106 | 113 | 98 | 97 | 109 | AR37 | Diploid | Late | Agricom | 7 |
| Platinum | 103 | 107 | 112 | 97 | 98 | 109 | Low | Diploid | Late | Valley Seeds | 5 |
| Revolution - Festulolium | 91 | 105 | 111 | 97 | 98 | 109 | AR1 | Diploid | Late | Seedforce | 4 |
| AusVic | 88 | 105 | 109 | 98 | 98 | 109 | Low | Diploid | Mid | Vic Seeds | 3 |
| Endure | 85 | 105 | 110 | 98 | 98 | 108 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Avalon AR1 | 70 | 105 | 110 | 96 | 99 | 106 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Ultra - Festulolium | 63 | 104 | 108 | 96 | 97 | 109 | AR1 | Diploid | Late | Notman Seeds | 6 |
| Helix - Festulolium | 62 | 103 | 108 | 97 | 97 | 108 | AR1 | Diploid | Mid | Cropmark | 4 |
| Jeta AR1 | 59 | 104 | 102 | 98 | 99 | 109 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| Victorian | 0 | 100 | 100 | 100 | 100 | 100 | SE | Diploid | Early | Many | 12 |

Legend

| Heading | Description |
|----------------------|---|
| Cultivar | A plant variety that has been produced by selective breeding. Cultivars are as listed as on the Australian Seed Federation Pasture Seed Database |
| Colour bars | Cultivars with the same colour are not significantly different from each other. Select from any of the cultivars in the green bars. |
| FVI | The rating is based on the outcome of economic and performance values for each cultivar. |
| Seasonal performance | A performance value is based on the difference in dry matter production between a cultivar's seasonal performance and that of Victorian ryegrass. This is a percentage ranking – percent better or worse than Victorian ryegrass. |
| Autumn | March/April/May |
| Winter | June/July |
| Early spring | August/September |
| Late spring | October/November |
| Summer | December/January/February |
| Endophyte | A fungus which protects plants from a range of insect pests. Different types of endophytes affect persistence, dry matter production, insect pest species and nutritive value in different ways. |
| Ploidy | The number of chromosomes per cell in the plant. A diploid ryegrass has two, while a tetraploid has four. |
| Heading date | The date when 50% of the plants of a variety have emerged seed heads in a typical year. Heading dates are listed on the Australian Seed Federation Pasture Seed Database. |
| Marketer | The company marketing the cultivar. |
| No. of trials | To be included in the Forage Value Index database, each cultivar must have data from at least three, three-year trials. |

South West Victoria early spring seasonal performance

| Cultivar | Early Spring | Late Spring | Summer | Autumn | Winter | FVI SW Vic | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|--------------|-------------|--------|--------|--------|------------|-----------|------------|--------------|---------------------|---------------|
| Fitzroy | 102 | 97 | 108 | 106 | 112 | 110 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| Kidman AR1 | 100 | 98 | 110 | 109 | 113 | 136 | AR1 | Diploid | Early | Barenbrug | 8 |
| Victorian | 100 | 100 | 100 | 100 | 100 | 0 | SE | Diploid | Early | Many | 12 |
| Shogun NEA2 | 100 | 98 | 112 | 105 | 112 | 125 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| Arrow AR1 | 99 | 99 | 110 | 105 | 109 | 106 | AR1 | Diploid | Mid | Barenbrug | 9 |
| Impact2 NEA2 | 99 | 99 | 111 | 107 | 113 | 131 | NEA2 | Diploid | Late | Barenbrug | 12 |
| SF Hustle AR1 | 99 | 99 | 110 | 107 | 113 | 128 | AR1 | Diploid | Mid | Seedforce | 6 |
| Prospect AR37 | 98 | 97 | 109 | 106 | 113 | 104 | AR37 | Diploid | Late | Agricom | 7 |
| Ansa AR1 | 98 | 98 | 110 | 106 | 111 | 106 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| One50 | 98 | 97 | 111 | 107 | 113 | 125 | SE | Diploid | Late | Agricom | 4 |
| Base AR37 | 98 | 99 | 113 | 111 | 119 | 181 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Jeta AR1 | 98 | 99 | 109 | 104 | 102 | 59 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| Jackal AR1 | 98 | 98 | 109 | 107 | 111 | 105 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| AusVic | 98 | 98 | 109 | 105 | 109 | 88 | Low | Diploid | Mid | Vic Seeds | 3 |
| Bealey NEA2 | 98 | 99 | 113 | 111 | 116 | 166 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| One50 AR37 | 98 | 97 | 110 | 107 | 113 | 112 | AR37 | Diploid | Late | Agricom | 8 |
| Endure | 98 | 98 | 108 | 105 | 110 | 85 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Expo AR37 | 97 | 98 | 109 | 107 | 112 | 108 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Helix - Festulolium | 97 | 97 | 108 | 103 | 108 | 62 | AR1 | Diploid | Mid | Cropmark | 4 |
| One50 AR1 | 97 | 97 | 111 | 106 | 113 | 108 | AR1 | Diploid | Late | Agricom | 11 |
| Platinum | 97 | 98 | 109 | 107 | 112 | 103 | Low | Diploid | Late | Valley Seeds | 5 |
| Matrix - Festulolium | 97 | 97 | 111 | 107 | 112 | 109 | Nil | Diploid | Late | Cropmark | 7 |
| Reward Endo5 | 97 | 98 | 110 | 107 | 112 | 113 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| Excess AR37 | 97 | 97 | 110 | 108 | 112 | 109 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| Revolution - Festulolium | 97 | 98 | 109 | 105 | 111 | 91 | AR1 | Diploid | Late | Seedforce | 4 |
| BanquetII Endo5 | 96 | 98 | 111 | 107 | 112 | 118 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Avalon AR1 | 96 | 99 | 106 | 105 | 110 | 70 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Ultra - Festulolium | 96 | 97 | 109 | 104 | 108 | 63 | AR1 | Diploid | Late | Notman Seeds | 6 |
| Halo AR37 | 96 | 97 | 113 | 109 | 115 | 140 | AR37 | Tetraploid | Late | Agricom | 12 |

South West Victoria late spring seasonal performance

| Cultivar | | Late Spring | Summer | Autumn | Winter | Early Spring | FVI SW Vic | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|---|-------------|--------|--------|--------|--------------|------------|-----------|------------|--------------|---------------------|---------------|
| Victorian | ■ | 100 | 100 | 100 | 100 | 100 | 0 | SE | Diploid | Early | Many | 12 |
| Arrow AR1 | ■ | 99 | 110 | 105 | 109 | 99 | 106 | AR1 | Diploid | Mid | Barenbrug | 9 |
| Base AR37 | ■ | 99 | 113 | 111 | 119 | 98 | 181 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Impact2 NEA2 | ■ | 99 | 111 | 107 | 113 | 99 | 131 | NEA2 | Diploid | Late | Barenbrug | 12 |
| Avalon AR1 | ■ | 99 | 106 | 105 | 110 | 96 | 70 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Bealey NEA2 | ■ | 99 | 113 | 111 | 116 | 98 | 166 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| Jeta AR1 | ■ | 99 | 109 | 104 | 102 | 98 | 59 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| SF Hustle AR1 | ■ | 99 | 110 | 107 | 113 | 99 | 128 | AR1 | Diploid | Mid | Seedforce | 6 |
| Reward Endo5 | ■ | 98 | 110 | 107 | 112 | 97 | 113 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| Kidman AR1 | ■ | 98 | 110 | 109 | 113 | 100 | 136 | AR1 | Diploid | Early | Barenbrug | 8 |
| AusVic | ■ | 98 | 109 | 105 | 109 | 98 | 88 | Low | Diploid | Mid | Vic Seeds | 3 |
| BanquetII Endo5 | ■ | 98 | 111 | 107 | 112 | 96 | 118 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Expo AR37 | ■ | 98 | 109 | 107 | 112 | 97 | 108 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Platinum | ■ | 98 | 109 | 107 | 112 | 97 | 103 | Low | Diploid | Late | Valley Seeds | 5 |
| Jackal AR1 | ■ | 98 | 109 | 107 | 111 | 98 | 105 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| Ansa AR1 | ■ | 98 | 110 | 106 | 111 | 98 | 106 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| Shogun NEA2 | ■ | 98 | 112 | 105 | 112 | 100 | 125 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| Endure | ■ | 98 | 108 | 105 | 110 | 98 | 85 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Revolution - Festulolium | ■ | 98 | 109 | 105 | 111 | 97 | 91 | AR1 | Diploid | Late | Seedforce | 4 |
| One50 | ■ | 97 | 111 | 107 | 113 | 98 | 125 | SE | Diploid | Late | Agricom | 4 |
| Excess AR37 | ■ | 97 | 110 | 108 | 112 | 97 | 109 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| Fitzroy | ■ | 97 | 108 | 106 | 112 | 102 | 110 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| Helix - Festulolium | ■ | 97 | 108 | 103 | 108 | 97 | 62 | AR1 | Diploid | Mid | Cropmark | 4 |
| One50 AR37 | ■ | 97 | 110 | 107 | 113 | 98 | 112 | AR37 | Diploid | Late | Agricom | 8 |
| Matrix - Festulolium | ■ | 97 | 111 | 107 | 112 | 97 | 109 | Nil | Diploid | Late | Cropmark | 7 |
| Halo AR37 | ■ | 97 | 113 | 109 | 115 | 96 | 140 | AR37 | Tetraploid | Late | Agricom | 12 |
| One50 AR1 | ■ | 97 | 111 | 106 | 113 | 97 | 108 | AR1 | Diploid | Late | Agricom | 11 |
| Prospect AR37 | ■ | 97 | 109 | 106 | 113 | 98 | 104 | AR37 | Diploid | Late | Agricom | 7 |
| Ultra - Festulolium | ■ | 97 | 109 | 104 | 108 | 96 | 63 | AR1 | Diploid | Late | Notman Seeds | 6 |

South West Victoria summer seasonal performance

| Cultivar | Summer | Autumn | Winter | E.Spring | L.Spring | FVI SW Vic | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|--------|--------|--------|----------|----------|------------|-----------|------------|--------------|---------------------|---------------|
| Bealey NEA2 | 113 | 111 | 116 | 98 | 99 | 166 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| Halo AR37 | 113 | 109 | 115 | 96 | 97 | 140 | AR37 | Tetraploid | Late | Agricom | 12 |
| Base AR37 | 113 | 111 | 119 | 98 | 99 | 181 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Shogun NEA2 | 112 | 105 | 112 | 100 | 98 | 125 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| One50 | 111 | 107 | 113 | 98 | 97 | 125 | SE | Diploid | Late | Agricom | 4 |
| BanquetII Endo5 | 111 | 107 | 112 | 96 | 98 | 118 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Impact2 NEA2 | 111 | 107 | 113 | 99 | 99 | 131 | NEA2 | Diploid | Late | Barenbrug | 12 |
| Matrix - Festulolium | 111 | 107 | 112 | 97 | 97 | 109 | Nil | Diploid | Late | Cropmark | 7 |
| One50 AR1 | 111 | 106 | 113 | 97 | 97 | 108 | AR1 | Diploid | Late | Agricom | 11 |
| SF Hustle AR1 | 110 | 107 | 113 | 99 | 99 | 128 | AR1 | Diploid | Mid | Seedforce | 6 |
| Reward Endo5 | 110 | 107 | 112 | 97 | 98 | 113 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| Kidman AR1 | 110 | 109 | 113 | 100 | 98 | 136 | AR1 | Diploid | Early | Barenbrug | 8 |
| Ansa AR1 | 110 | 106 | 111 | 98 | 98 | 106 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| Arrow AR1 | 110 | 105 | 109 | 99 | 99 | 106 | AR1 | Diploid | Mid | Barenbrug | 9 |
| Excess AR37 | 110 | 108 | 112 | 97 | 97 | 109 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| One50 AR37 | 110 | 107 | 113 | 98 | 97 | 112 | AR37 | Diploid | Late | Agricom | 8 |
| Prospect AR37 | 109 | 106 | 113 | 98 | 97 | 104 | AR37 | Diploid | Late | Agricom | 7 |
| Revolution - Festulolium | 109 | 105 | 111 | 97 | 98 | 91 | AR1 | Diploid | Late | Seedforce | 4 |
| Jackal AR1 | 109 | 107 | 111 | 98 | 98 | 105 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| Expo AR37 | 109 | 107 | 112 | 97 | 98 | 108 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Jeta AR1 | 109 | 104 | 102 | 98 | 99 | 59 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| Platinum | 109 | 107 | 112 | 97 | 98 | 103 | Low | Diploid | Late | Valley Seeds | 5 |
| Ultra - Festulolium | 109 | 104 | 108 | 96 | 97 | 63 | AR1 | Diploid | Late | Notman Seeds | 6 |
| AusVic | 109 | 105 | 109 | 98 | 98 | 88 | Low | Diploid | Mid | Vic Seeds | 3 |
| Endure | 108 | 105 | 110 | 98 | 98 | 85 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Fitzroy | 108 | 106 | 112 | 102 | 97 | 110 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| Helix - Festulolium | 108 | 103 | 108 | 97 | 97 | 62 | AR1 | Diploid | Mid | Cropmark | 4 |
| Avalon AR1 | 106 | 105 | 110 | 96 | 99 | 70 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Victorian | 100 | 100 | 100 | 100 | 100 | 0 | SE | Diploid | Early | Many | 12 |

South West Victoria autumn seasonal performance

| Cultivar | Autumn | Winter | Early Spring | Late Spring | Summer | FVI SW Vic | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|--------|--------|--------------|-------------|--------|------------|-----------|------------|--------------|---------------------|---------------|
| Base AR37 | 111 | 119 | 98 | 99 | 113 | 181 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Bealey NEA2 | 111 | 116 | 98 | 99 | 113 | 166 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| Halo AR37 | 109 | 115 | 96 | 97 | 113 | 140 | AR37 | Tetraploid | Late | Agricom | 12 |
| Kidman AR1 | 109 | 113 | 100 | 98 | 110 | 136 | AR1 | Diploid | Early | Barenbrug | 8 |
| Excess AR37 | 108 | 112 | 97 | 97 | 110 | 109 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| SF Hustle AR1 | 107 | 113 | 99 | 99 | 110 | 128 | AR1 | Diploid | Mid | Seedforce | 6 |
| One50 AR37 | 107 | 113 | 98 | 97 | 110 | 112 | AR37 | Diploid | Late | Agricom | 8 |
| Reward Endo5 | 107 | 112 | 97 | 98 | 110 | 113 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| One50 | 107 | 113 | 98 | 97 | 111 | 125 | SE | Diploid | Late | Agricom | 4 |
| BanquetII Endo5 | 107 | 112 | 96 | 98 | 111 | 118 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Jackal AR1 | 107 | 111 | 98 | 98 | 109 | 105 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| Impact2 NEA2 | 107 | 113 | 99 | 99 | 111 | 131 | NEA2 | Diploid | Late | Barenbrug | 12 |
| Matrix - Festulolium | 107 | 112 | 97 | 97 | 111 | 109 | Nil | Diploid | Late | Cropmark | 7 |
| Expo AR37 | 107 | 112 | 97 | 98 | 109 | 108 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Platinum | 107 | 112 | 97 | 98 | 109 | 103 | Low | Diploid | Late | Valley Seeds | 5 |
| One50 AR1 | 106 | 113 | 97 | 97 | 111 | 108 | AR1 | Diploid | Late | Agricom | 11 |
| Prospect AR37 | 106 | 113 | 98 | 97 | 109 | 104 | AR37 | Diploid | Late | Agricom | 7 |
| Ansa AR1 | 106 | 111 | 98 | 98 | 110 | 106 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| Fitzroy | 106 | 112 | 102 | 97 | 108 | 110 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| AusVic | 105 | 109 | 98 | 98 | 109 | 88 | Low | Diploid | Mid | Vic Seeds | 3 |
| Endure | 105 | 110 | 98 | 98 | 108 | 85 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Arrow AR1 | 105 | 109 | 99 | 99 | 110 | 106 | AR1 | Diploid | Mid | Barenbrug | 9 |
| Shogun NEA2 | 105 | 112 | 100 | 98 | 112 | 125 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| Revolution - Festulolium | 105 | 111 | 97 | 98 | 109 | 91 | AR1 | Diploid | Late | Seedforce | 4 |
| Avalon AR1 | 105 | 110 | 96 | 99 | 106 | 70 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Ultra - Festulolium | 104 | 108 | 96 | 97 | 109 | 63 | AR1 | Diploid | Late | Notman Seeds | 6 |
| Jeta AR1 | 104 | 102 | 98 | 99 | 109 | 59 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| Helix - Festulolium | 103 | 108 | 97 | 97 | 108 | 62 | AR1 | Diploid | Mid | Cropmark | 4 |
| Victorian | 100 | 100 | 100 | 100 | 100 | 0 | SE | Diploid | Early | Many | 12 |

South West Victoria winter seasonal performance

| Cultivar | Winter | Early Spring | Late Spring | Summer | Autumn | FVI SW Vic | Endophyte | Ploidy | Heading Date | Marketer | No. of trials |
|--------------------------|--------|--------------|-------------|--------|--------|------------|-----------|------------|--------------|---------------------|---------------|
| Base AR37 | 119 | 98 | 99 | 113 | 111 | 181 | AR37 | Tetraploid | Late | PGG Wrightson Seeds | 12 |
| Bealey NEA2 | 116 | 98 | 99 | 113 | 111 | 166 | NEA2 | Tetraploid | Very Late | Barenbrug | 13 |
| Halo AR37 | 115 | 96 | 97 | 113 | 109 | 140 | AR37 | Tetraploid | Late | Agricom | 12 |
| One50 | 113 | 98 | 97 | 111 | 107 | 125 | SE | Diploid | Late | Agricom | 4 |
| SF Hustle AR1 | 113 | 99 | 99 | 110 | 107 | 128 | AR1 | Diploid | Mid | Seedforce | 6 |
| Kidman AR1 | 113 | 100 | 98 | 110 | 109 | 136 | AR1 | Diploid | Early | Barenbrug | 8 |
| One50 AR37 | 113 | 98 | 97 | 110 | 107 | 112 | AR37 | Diploid | Late | Agricom | 8 |
| Impact2 NEA2 | 113 | 99 | 99 | 111 | 107 | 131 | NEA2 | Diploid | Late | Barenbrug | 12 |
| Prospect AR37 | 113 | 98 | 97 | 109 | 106 | 104 | AR37 | Diploid | Late | Agricom | 7 |
| One50 AR1 | 113 | 97 | 97 | 111 | 106 | 108 | AR1 | Diploid | Late | Agricom | 11 |
| Expo AR37 | 112 | 97 | 98 | 109 | 107 | 108 | AR37 | Diploid | Late | PGG Wrightson Seeds | 5 |
| Shogun NEA2 | 112 | 100 | 98 | 112 | 105 | 125 | NEA2 | Tetraploid | Late | Barenbrug | 6 |
| Excess AR37 | 112 | 97 | 97 | 110 | 108 | 109 | AR37 | Diploid | Mid | PGG Wrightson Seeds | 6 |
| BanquetII Endo5 | 112 | 96 | 98 | 111 | 107 | 118 | Endo5 | Tetraploid | Late | PGG Wrightson Seeds | 9 |
| Platinum | 112 | 97 | 98 | 109 | 107 | 103 | Low | Diploid | Late | Valley Seeds | 5 |
| Matrix - Festulolium | 112 | 97 | 97 | 111 | 107 | 109 | Nil | Diploid | Late | Cropmark | 7 |
| Reward Endo5 | 112 | 97 | 98 | 110 | 107 | 113 | Endo5 | Tetraploid | Very late | PGG Wrightson Seeds | 5 |
| Fitzroy | 112 | 102 | 97 | 108 | 106 | 110 | SE | Diploid | Early | PGG Wrightson Seeds | 4 |
| Jackal AR1 | 111 | 98 | 98 | 109 | 107 | 105 | AR1 | Diploid | Mid | AGF Seeds | 6 |
| Revolution - Festulolium | 111 | 97 | 98 | 109 | 105 | 91 | AR1 | Diploid | Late | Seedforce | 4 |
| Ansa AR1 | 111 | 98 | 98 | 110 | 106 | 106 | AR1 | Diploid | Mid-Late | Seed Distributors | 7 |
| Avalon AR1 | 110 | 96 | 99 | 106 | 105 | 70 | AR1 | Diploid | Mid | Vic Seeds | 8 |
| Endure | 110 | 98 | 98 | 108 | 105 | 85 | SE | Tetraploid | Mid | Vic Seeds | 5 |
| Arrow AR1 | 109 | 99 | 99 | 110 | 105 | 106 | AR1 | Diploid | Mid | Barenbrug | 9 |
| AusVic | 109 | 98 | 98 | 109 | 105 | 88 | Low | Diploid | Mid | Vic Seeds | 3 |
| Helix - Festulolium | 108 | 97 | 97 | 108 | 103 | 62 | AR1 | Diploid | Mid | Cropmark | 4 |
| Ultra - Festulolium | 108 | 96 | 97 | 109 | 104 | 63 | AR1 | Diploid | Late | Notman Seeds | 6 |
| Jeta AR1 | 102 | 98 | 99 | 109 | 104 | 59 | AR1 | Tetraploid | Mid | Pasture Genetics | 6 |
| Victorian | 100 | 100 | 100 | 100 | 100 | 0 | SE | Diploid | Early | Many | 12 |

The content of this publication including any statements regarding future matters (such as the performance of the dairy industry or initiatives of Dairy Australia) is based on information available to Dairy Australia at the time of preparation. Dairy Australia does not guarantee that the content is free from inadvertent errors or omissions and accepts no liability for your use of or reliance on this document. You should always make your own inquiries and obtain professional advice before using or relying on the information provided in this publication, as that information has not been prepared with your specific circumstances in mind and may not be current after the date of publication.

© Dairy Australia Limited 2020. All rights reserved.

Dairy Australia Limited ABN 60 105 227 987
E enquiries@dairyaustralia.com.au
T +61 3 9694 3777
F +61 3 9694 3701
dairyaustralia.com.au